UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO		
10/691,994	10/22/2003	Darran Potter	50325-0837	2452	
29989 7590 11/01/2010 HICKMAN PALERMO TRUONG & BECKER, LLP 2055 GATEWAY PLACE			EXAMINER		
			EL CHANTI, HUSSEIN A		
SUITE 550 SAN JOSE, CA	95110		ART UNIT	PAPER NUMBER	
			2441		
			MAIL DATE	DELIVERY MODE	
			11/01/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Applica	tion No.	Applicant(s)			
		10/691,	994	POTTER ET AL.			
		Examin	er	Art Unit			
		HUSSE	N A. EL CHANTI	2441			
Period fo	The MAILING DATE of this communica r Reply	tion appears on t	he cover sheet with the c	correspondence ac	ddress		
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAIL asions of time may be available under the provisions of 3 SIX (6) MONTHS from the mailing date of this communic period for reply is specified above, the maximum stature to reply within the set or extended period for reply will, eply received by the Office later than three months after ad patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF 7 CFR 1.136(a). In no cation. ory period will apply and by statute, cause the a	THIS COMMUNICATION event, however, may a reply be tin will expire SIX (6) MONTHS from oplication to become ABANDONE	N. nely filed the mailing date of this o D (35 U.S.C. § 133).			
Status							
2a)⊠	Responsive to communication(s) filed of This action is <b>FINAL</b> . 2b) Since this application is in condition for	☐ This action is	non-final.	osecution as to the	e merits is		
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
5)□ 6)⊠ 7)□	Claim(s) 1-4,6-16 and 18-30 is/are penda) Of the above claim(s) is/are Claim(s) is/are allowed.  Claim(s) 1-4, 6-16 and 18-30 is/are rejected to.  Claim(s) is/are object to restriction	withdrawn from o	onsideration.				
Applicati	on Papers						
10)	The specification is objected to by the E The drawing(s) filed on is/are: a Applicant may not request that any objectio Replacement drawing sheet(s) including the The oath or declaration is objected to by	D accepted or note to the drawing(s e correction is requ	be held in abeyance. See ired if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 C	• •		
Priority u	ınder 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
2) Notic	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO- nation Disclosure Statement(s) (PTO/SB/08)	-948)	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal F	ate			
-	r No(s)/Mail Date		6) Other:				

Art Unit: 2441

## **DETAILED ACTION**

**1.** This action is responsive to amendment received Sep 3, 2010. Claims 1-4, 6-16 and 18-30 are pending examination.

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 2. Claims 11-12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 3. The elements of claim 11: "means for generating" and "means for forwarding" are means (or step) plus function limitation that invokes 35 U.S.C. 112, sixth paragraph. However, the written description fails to disclose the corresponding structure, material, or acts for the claimed function in the specification of the application. Applicant is required to:
- (a) Amend the claim so that the claim limitation will no longer be a means (or step) plus function limitation under 35 U.S.C. 112, sixth paragraph; or
- (b) Amend the written description of the specification such that it expressly recites what structure, material, or acts perform the claimed function without introducing any new matter (35 U.S.C. 132(a)).

If applicant is of the opinion that the written description of the specification already implicitly or inherently discloses the corresponding structure, material, or acts so

Art Unit: 2441

that one of ordinary skill in the art would recognize what structure, material, or acts perform the claimed function, applicant is required to clarify the record by either:

- (a) Amending the written description of the specification such that it expressly recites the corresponding structure, material, or acts for performing the claimed function and clearly links or associates the structure, material, or acts to the claimed function, without introducing any new matter (35 U.S.C. 132(a)); or
- (b) Stating on the record what the corresponding structure, material, or acts, which are implicitly or inherently set forth in the written description of the specification, perform the claimed function. For more information, see 37 CFR 1.75(d) and MPEP §§ 608.01(o) and 2181.

## Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

**4.** Claims 13-16 and 18 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claim 13 recites in the preamble "a network device comprising." The body of claim 13 recites "a network interface" which is software according to the disclosure of the application. Therefore claims 13-16 and 18 are non-statutory because it is directed towards software, per se, lacking storage on a medium, which enables any underlying functionality to occur. It is not clear whether instructions are in executable form and therefore there is no practical application.

Art Unit: 2441

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 1-4, 6-16 and 18-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pfwltzner, U.S. Patent No. 7,506,069 in view of Amin et al., U.S. Patent No. 6,854,014 (referred to hereafter as Amin).

As to claim 1, Pfwltzner teaches a method of providing access to services across a computer network, comprising the step of:

generating an access request by a requesting network access device through which an end user device can obtain access to network resources, said access request comprising a requesting network access device description "computing environment information" and a plurality of service requests indicative of computer services "meeting" for which the network device requests provisioning (see col. 10 lines 36-41, lines 44-53, end user sends a request to access a meeting using a URL);

wherein the requesting network access device description includes one or more of: a requesting network access device vendor, a requesting network access device type, a requesting network access device version (see col. 11 lines 28-37, the request includes device information such as the type of device); and

forwarding said access request for authentication and authorization (see col. 10 lines 56-col. 11 lines 3, the access request is forwarded to the server that is hosting the

meeting) and for reconfiguring the access-control server by storing a dependence between the request and the requesting network access device (see col. 11 lines 56-col. 12 lines 13 and col. 7 lines 8-col. 8 lines 34, the business objects are restructured based on the type of the requesting device and the relationship between the requesting address and the type of device are stored in a table for future reference).

Pfwltzner does not explicitly teach that the access request is an authentication, authorization and access request. However, Amin teaches a system and method for generating authentication, authorization and access requests to obtain access to network resources (see Amin col. 14 lines 39-lines 66 and col. 18 lines 25-54).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to implement the use of aaa requests in Pfwltzner's system and method as taught by Amin. Motivation to do so comes from the knowledge well known in the art that using AAA requests is very widely and commonly used as admitted by the applicant (applicant's response pages 8-9) and that using AAA requests would authenticate the identity of the user before granting access to network resources which would make the system and method more secure.

As to claim 6, Pfwltzner teaches a method according to Claim 1 in which the service requests include a request for a particular service level (see col. 14 lines 38-53, user may have different access levels based on whether user is author or not).

As to claim 7, Pfwltzner teaches a method according to Claim 1 in which a policy is applied to the access request to determine whether access will be allowed, and if so

for what services (see col. 14 lines 38-53, identity of user is verified to determine whether access is allowed).

As to claim 8, Pfwltzner teaches a method according to Claim 1 in which network resources are provisioned in dependence upon the access request (see col. 14 lines 38-53).

As to claim 9, Amin teaches a method according to Claim 1 in which the steps of receiving and applying are performed by an access-control server or an Authentication, Authorization and Audit (AAA) server (see col. 14 lines 38-53, redirection server performs authentication).

As to claim 10, Pfwltzner teaches a method according to Claim 9 in which the access-control server uses the access request to select among multiple services that are specified for a particular device (see col. 13 lines 13-45, different versions and formats are selected based n the device type and user identity).

As to claim 11, Pfwltzner teaches a device for providing access to services across a computer network, comprising:

Means for generating an access request by a requesting network access device through which an end user device can obtain access to network resources, said access request comprising a requesting network access device description "computing environment information" and a plurality of service requests indicative of computer services "meeting" for which the network device requests provisioning (see col. 10 lines 36-41, lines 44-53, end user sends a request to access a meeting using a URL);

wherein the requesting network access device description includes one or more of: a requesting network access device vendor, a requesting network access device type, a requesting network access device version (see col. 11 lines 28-37, the request includes device information such as the type of device); and

means for forwarding said access request for authentication and authorization (see col. 10 lines 56-col. 11 lines 3, the access request is forwarded to the server that is hosting the meeting) and for reconfiguring the access-control server by storing a dependence between the request and the requesting network access device (see col. 11 lines 56-col. 12 lines 13 and col. 7 lines 8-col. 8 lines 34, the business objects are restructured based on the type of the requesting device and the relationship between the requesting address and the type of device are stored in a table for future reference).

Pfwltzner does not explicitly teach that the access request is an authentication, authorization and access request. However, Amin teaches a system and method for generating authentication, authorization and access requests to obtain access to network resources (see Amin col. 14 lines 39-lines 66 and col. 18 lines 25-54).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to implement the use of aaa requests in Pfwltzner's system and method as taught by Amin. Motivation to do so comes from the knowledge well known in the art that using AAA requests is very widely and commonly used as admitted by the applicant (applicant's response pages 8-9) and that using AAA requests would authenticate the identity of the user before granting access to network resources which would make the system and method more secure.

As to claim 13, Pfwltzner teaches a device for providing access to services across a computer network a network interface, comprising computer storage medium executing code to perform the steps comprising:

generating an access request by a requesting network access device through which an end user device can obtain access to network resources, said access request comprising a requesting network access device description "computing environment information" and a plurality of service requests indicative of computer services "meeting" for which the network device requests provisioning (see col. 10 lines 36-41, lines 44-53, end user sends a request to access a meeting using a URL);

wherein the requesting network access device description includes one or more of: a requesting network access device vendor, a requesting network access device type, a requesting network access device version (see col. 11 lines 28-37, the request includes device information such as the type of device); and

forwarding said access request for authentication and authorization (see col. 10 lines 56-col. 11 lines 3, the access request is forwarded to the server that is hosting the meeting) and for reconfiguring the access-control server by storing a dependence between the request and the requesting network access device (see col. 11 lines 56-col. 12 lines 13 and col. 7 lines 8-col. 8 lines 34, the business objects are restructured based on the type of the requesting device and the relationship between the requesting address and the type of device are stored in a table for future reference).

Pfwltzner does not explicitly teach that the access request is an authentication, authorization and access request. However, Amin teaches a system and method for

generating authentication, authorization and access requests to obtain access to network resources (see Amin col. 14 lines 39-lines 66 and col. 18 lines 25-54).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to implement the use of aaa requests in Pfwltzner's system and method as taught by Amin. Motivation to do so comes from the knowledge well known in the art that using AAA requests is very widely and commonly used as admitted by the applicant (applicant's response pages 8-9) and that using AAA requests would authenticate the identity of the user before granting access to network resources which would make the system and method more secure.

As to claim 18, Pfwltzner teaches a device according to Claim 13 in which the service requests include a request for a particular service level (see col. 14 lines 38-53, user may have different access levels based on whether user is author or not).

As to claims 19, Pfwltzner teaches a system for providing access to services across a computer network, comprising:

An access control server "redirector server" being arranged:

receive an access request by a requesting network access device through which an end user device can obtain access to network resources, said access request comprising a requesting network access device description "computing environment information" and a plurality of service requests indicative of computer services "meeting" for which the network device requests provisioning (see col. 10 lines 36-41, lines 44-53, end user sends a request to access a meeting using a URL);

Art Unit: 2441

wherein the requesting network access device description includes one or more of: a requesting network access device vendor, a requesting network access device type, a requesting network access device version (see col. 11 lines 28-37, the request includes device information such as the type of device); and

apply a policy to the access request to determine whether the access will be allowed, and if so for what services (see col. 10 lines 56-col. 11 lines 3, the access request is forwarded to the server that is hosting the meeting) and for reconfiguring the access-control server by storing a dependence between the request and the requesting network access device (see col. 11 lines 56-col. 12 lines 13 and col. 7 lines 8-col. 8 lines 34, the business objects are restructured based on the type of the requesting device and the relationship between the requesting address and the type of device are stored in a table for future reference).

Pfwltzner does not explicitly teach that the access request is an authentication, authorization and access request. However, Amin teaches a system and method for generating authentication, authorization and access requests to obtain access to network resources (see Amin col. 14 lines 39-lines 66 and col. 18 lines 25-54).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to implement the use of aaa requests in Pfwltzner's system and method as taught by Amin. Motivation to do so comes from the knowledge well known in the art that using AAA requests is very widely and commonly used as admitted by the applicant (applicant's response pages 8-9) and that using AAA requests would authenticate the

identity of the user before granting access to network resources which would make the system and method more secure.

As to claim 20, Pfwltzner teaches a device according to Claim19 in which the service requests include a request for a particular service level (see col. 14 lines 38-53, user may have different access levels based on whether user is author or not).

As to claim 21, Amin teaches a device according to Claim 19 in which the steps of receiving and applying are performed by an access-control server or an Authentication, Authorization and Audit (AAA) server (see col. 14 lines 38-53, redirection server performs authentication).

As to claim 22, Pfwltzner teaches a system according to Claim 19 in which the access-control server uses the access request to select among multiple services that are specified for a particular device (see col. 13 lines 13-45, different versions and formats are selected based n the device type and user identity).

As to claim 23, Pfwltzner teaches a storage medium executing code to perform steps, comprising the step of:

generating an access request by a requesting network access device through which an end user device can obtain access to network resources, said access request comprising a requesting network access device description "computing environment information" and a plurality of service requests indicative of computer services "meeting" for which the network device requests provisioning (see col. 10 lines 36-41, lines 44-53, end user sends a request to access a meeting using a URL);

Art Unit: 2441

wherein the requesting network access device description includes one or more of: a requesting network access device vendor, a requesting network access device type, a requesting network access device version (see col. 11 lines 28-37, the request includes device information such as the type of device); and

forwarding said access request for authentication and authorization (see col. 10 lines 56-col. 11 lines 3, the access request is forwarded to the server that is hosting the meeting) and for reconfiguring the access-control server by storing a dependence between the request and the requesting network access device (see col. 11 lines 56-col. 12 lines 13 and col. 7 lines 8-col. 8 lines 34, the business objects are restructured based on the type of the requesting device and the relationship between the requesting address and the type of device are stored in a table for future reference).

Pfwltzner does not explicitly teach that the access request is an authentication, authorization and access request. However, Amin teaches a system and method for generating authentication, authorization and access requests to obtain access to network resources (see Amin col. 14 lines 39-lines 66 and col. 18 lines 25-54).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to implement the use of aaa requests in Pfwltzner's system and method as taught by Amin. Motivation to do so comes from the knowledge well known in the art that using AAA requests is very widely and commonly used as admitted by the applicant (applicant's response pages 8-9) and that using AAA requests would authenticate the identity of the user before granting access to network resources which would make the system and method more secure.

Art Unit: 2441

As to claim 27, Pfwltzner teaches a medium according to claim 23 wherein the requesting access device includes one or more of device type, vendor and version (see col. 11 lines 28-37)

As to claim 28, Pfwltzner teaches a medium according to Claim 23 in which the service requests include a request for a particular service level (see col. 14 lines 38-53, user may have different access levels based on whether user is author or not).

As to claim 29, Pfwltzner teaches a device according to Claim 11 or 13 comprising a requesting network access device which controls end user device access to a network, and which requests services on behalf of one or more said end users (see col. 14 lines 38-53, redirection server performs authentication).

As to claim 30, Pfwltzner teaches a device according to claim 11 or 13 comprising a in which said requesting network access device requests services for its own use (see col. 14 lines 38-53).

As to claims 2, 4, 12, 14, 16, 24, 26, Pfwltzner teaches a method, system, device and medium of providing access to services across a computer network, comprising the step of: generating an access request by a requesting network access device through which an end user device can obtain access to network resources, said access request comprising a requesting network access device description and a plurality of service requests indicative of computer services for which the network device requests provisioning (see col. 9 lines 28-45, col. 4 lines 20-47, col. 10 lines 38-54).

Pfwltzner does not explicitly teach that the access request is a RADIUS access request. Anderson, however, teaches a system and method sending requests for

Art Unit: 2441

accessing a resource wherein the request is a RADIUS request (see col. 10 lines 20-31).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to implement the use of RADIUS requests in Pfwltzner as taught by Anderson because doing so would make the method and system more secure.

As to claims 3, 15, 25, Pfwltzner teaches the service request contains a device type and a service request identifier "URL" (see col. 13 lines 13-59, access request includes a URL and device information).

7. Applicant's arguments have been fully considered but are not persuasive.

Applicant argues in substance that neither Pfwltzner not Amin teaches a RADIUS request containing one or more of the device type, description or vendor. Examiner respectfully disagrees. Pfwltzner teaches sending authentication requests to a server wherein the request includes the sending device type (see col. 11 lines 28-37). However, Pfwltzner does not explicitly teach that the authentication request which includes the device type is sent using a RADIUS protocol. However, RADIUS protocol packets and protocol are very well known in the art. Examiner introduced Amin to show that it is very well known in the art at the time of the invention to use RADIUS protocol in authentication requests to authenticate a device sending the request (see Amin col. 2 lines 59-col. 3 lines 26 and col. 14 lines 39-lines 66). It would have been obvious for one of the ordinary skill in the art at the time of the invention to incorporate the use of RADIUS protocol in Pfwltzner's requests which includes the requesting device type as

Art Unit: 2441

evident by Amin. Therefore, the combination of Pfwltzner and Amin teaches the limitations as claimed.

**8. THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

**9.** Any inquiry concerning this communication or earlier communications from the examiner should be directed to HUSSEIN A. EL CHANTI whose telephone number is (571)272-3999. The examiner can normally be reached on Mon-Fri 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wing Chan can be reached on (571)272-7493. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2441

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Hussein Elchanti/ Primary Patent Examiner

Oct. 27, 2010